L Number	Hits	Search Text	DB	Time stamp
-	2	Lake.in. near2 Brian	USPAT;	2003/12/14 20:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	Karpoff.in. near2 Wayne	USPAT;	2003/10/19 19:27
			US-PGPUB;	
			EPO; JPO;	
l į			DERWENT;	
			IBM_TDB	
-	15	yotta.as.	USPAT;	2003/10/19 19:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	275	(virtual\$7 and address\$3 and (disk or disc)).ab.	USPAT;	2003/10/19 19:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	247	((virtual\$7 and address\$3 and (disk or disc)).ab.) and	USPAT;	2003/10/19 20:15
		@ad<=20010111	US-PGPUB;	
		_	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	539	(virtual near2 address\$3) same (memory near2 allocat\$4)	USPAT;	2003/10/19 20:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
ļ <u> </u>	457	((virtual near2 address\$3) same (memory near2 allocat\$4))	USPAT;	2003/10/19 20:16
		and @ad<=20010111	US-PGPUB;	
		G	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	6505286.URPN.	USPAT	2003/10/19 20:31
-	7	("4918586" "5109336" "5193202" "5237673" "5784697"	USPAT	2003/10/19 20:31
		"5784699" ("5920881").PN.		
-	542	711/203.ccls.	USPAT;	2003/10/20 07:33
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	316	711/209.ccls.	USPAT;	2003/10/20 08:02
			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	[
-	51	demand same (virtual near5 address\$3) same allocat\$6	USPAT;	2003/12/15 06:45
			US-PGPUB;	
			EPO, JPO;	
			DERWENT;	
]	İ		IBM_TDB	
-	2	demand near2 map\$4 near2 virtual near2 (disk or disc)	USPAT;	2003/10/20 08:19
	_		US-PGPUB;	<u> </u>
			EPO; JPO;	
]	i		DERWENT,	1
			IBM_TDB	
_	28	demand with (virtual near2 (disk or disc))	USPAT;	2003/10/20 08:40
			US-PGPUB;	
[]			EPO; JPO;	
			DERWENT;	1
	i		IBM_TDB	
<u> </u>	2	("5784699" "5845297").PN.	USPAT	2003/10/20 08:30
		1 1		

-	2	(architecture near2 parallel near2 distributed near2 table	USPAT;	2003/10/20 08:47
		near2 driven near2 mapping).ti.	US-PGPUB;	
		., •,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	20	virtual near2 (disk or disc) near2 abstract\$5	USPAT;	2003/10/20 09:11
-	2	Virtual fical 2 (disk of disc) fied 2 destination	US-PGPUB;	2000, 10,20 00.11
			EPO; JPO;	
			DERWENT;	
	اما	5400404	IBM_TDB	0000440400 00:45
-	2	5193184.pn.	USPAT;	2003/10/20 09:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26	(storage near2 virtualization).ab.	USPAT;	2003/10/20 09:52
			US-PGPUB;	•
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	6148414.pn.	USPAT;	2003/10/20 10:23
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	0006	(distant disa) noor2 imaga	USPAT;	2003/10/20 10:23
-	8006	(disk or disc) near2 image		2003/10/20 10.23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	174	((disk or disc) near2 image) same virtual	USPAT;	2003/10/20 10:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<u>-</u>	109	storage near2 virtualization	USPAT;	2003/11/13 13:37
		3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
]	1	884822.apn.	USPAT;	2003/11/13 13:48
-	1 '	1 004022:apii.	US-PGPUB;	2000, 1 ,, 10 10 10
1			EPO; JPO;	
			DERWENT;	
	1			
		موسيامين المساملة الم	IBM_TDB	2002/44/44 00:00
-	705	virtual near2 volumes	USPAT;	2003/11/14 09:26
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	422	(virtual near2 volumes) and @ad<=20010111	USPAT;	2003/11/14 11:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11	("5237658" "5274645" "5367669" "5553230" "5757642"	USPAT	2003/11/14 09:59
		"5790775" "5812754" "5922077" "6129027" "6219753"	ļ	
		"6330687").PN.		
1_	7	("5542064" "5606681" "5689678" "5696934" "5754756"	USPAT	2003/11/14 10:28
		"5845319" "6148369").PN.	1	
1_	983	(virtual near4 address\$3) same allocat\$4 same (map\$4 or	USPAT;	2003/11/14 11:09
1	303	table)	US-PGPUB;	
		Labio)	EPO; JPO;	
ł			DERWENT;	
	1		IBM_TDB	
L	<u> </u>		T IDINI T DD	<u> </u>

table) same dynamic\$4					
120	-	154	((virtual near4 address\$3) same allocat\$4 same (map\$4 or	· ·	2003/11/14 11:09
. 120 (((virtual near4 address\$3) same allocat\$4 same (map\$4 or table)) same dynamic\$4) and @ad<=20010111 - 230 711/114.ccls. and ((dynamic near2 map\$4) or (allocat\$4 same (map\$4 or lBM TOB USPAT; us-PGPUB; EPO, JPO; DERWENT; IBM TOB USPAT;			table)) same dynamic\$4	US-PGPUB;	
120				EPO; JPO;	
120				DERWENT;	
table)) same dynamics\$4) and @ad<=20010111 US-PGPUB; EPO, JPO, DERWENT; IBM, TDB USPAT; US-PGPUB; EPO, JPO, DERWENT; IBM, TDB				IBM_TDB	
230	-	120	(((virtual near4 address\$3) same allocat\$4 same (map\$4 or	USPAT;	2003/11/14 12:00
230	ì			US-PGPUB;	
230			,, ,	EPO; JPO;	
230					
230				IBM TDB	
near2 (space or memory)))	l <u>-</u>	230	711/114.ccls, and ((dynamic near2 map\$4) or (allocat\$4	USPAT;	2003/11/14 12:12
Carrey No. Car				US-PGPUB;	
Company Comp			7,11		
2 2 SCSI same (virtual near2 disk near2 image)				DERWENT;	
2 2 SCSI same (virtual near2 disk near2 image)	1	1		IBM TDB	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB U	_	2	SCSI same (virtual near2 disk near2 image)		2003/11/14 12:13
EPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; LPC; JPC; DERWENT; IBM_TDB USPAT; US-PGPUB; LPC; JPC; DERWENT; I		_	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
- 53 (virtual near2 disk near2 image) - 53 (virtual near2 disk near2 image) - 2 Netstorager - 2 Netstorager - 2 Netstorager - 3 RAID same (device near2 identifier) same (block near2 number) same (map\$4 or table) - 4 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table) - 5 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table)) - 6 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table)) - 7 RAID and ((device near2 identifier) same (block near2 number)) - 8 RAID and ((device near2 identifier) same (block near2 number)) - 8 RAID and ((device near2 identifier) same (block near2 number)) - 107 RAID same (free near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list nor directory or pool))					
BM_TDB					
S3 (virtual near2 disk near2 image)					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT, IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT, IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT, IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; D	I _	53	(virtual near2 disk near2 image)		2003/11/14 13:01
- 2 Netstorager - 2 Netstorager - 2 Netstorager - 3 RAID same (device near2 identifier) same (block near2 number) same (map\$4 or table) - 4 0 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table) - 5 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table) - 6 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table)) - 7 RAID and ((device near2 identifier) same (block near2 number)) - 8 RAID and ((device near2 identifier) same (block near2 number)) - 7 RAID same (free near2 (blocks or list or directory or pool)) - 8 RAID same (free near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 108 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 109 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 110 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 111 (Array near1 Management near1 Function) - 112 (Array near1 Management near1 Function) and (Bad - 113 (Array near1 Management near1 Function) and (Bad	I -	33	(Thisasi House dion House inlugo)		
- 2 Netstorager - 2 Netstorager - 3 RAID same (device near2 identifier) same (block near2 number) same (map\$4 or table) - 0 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table) - 0 RAID and ((device near2 identifier) same (block near2 number) same (map\$4 or table)) - 1 3 RAID and ((device near2 identifier) same (block near2 number)) - 25 RAID same (free near2 identifier) same (block near2 number)) - 107 RAID same (free near2 (blocks or list or directory or pool)) - 107 RAID same (free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<-2003/11/15 10: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO					
2 Netstorager Septiment Septime	İ				
2 Netstorager USPAT; US-PGUB; EPO; JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT; IBM, TDB US-PGPUB; EPO; JPO; DERWENT					
S.P.G.U.B. EPO; JPO; DERWENT; IBM_TDB US.P.G.P.U.B. EPO; JPO;		2	Notetorager		2003/11/14 13:03
RAID same (device near2 identifier) same (block near2 number) same (map\$4 or table)	-	2	Netstorager		2000/11/14 10:00
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT; USPGPUB; EPO; JPO; DERWENT; USPAT;		1			
RAID same (device near2 identifier) same (block near2 number) same (map\$4 or table)					
- 0 RAID same (device near2 identifier) same (block near2 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO;		i			
Number same (map\$4 or table)			DAID (daying many) identifier) name (block near)		2003/11/14 13:04
Company Comp	-	٥ ا			2003/11/14 13.04
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT			number) same (map\$4 or table)		
RAID and ((device near2 identifier) same (block near2 number) Same (map\$4 or table)) SPGPUB; SPGPU					
Carray near1 Management near1 Function Carray near2 Carray near2 Carray near2 Carray near2 Carray near3 Carray n					
Number Same (map\$4 or table) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_			DAID		2002/11/14 12:05
RAID and ((device near2 identifier) same (block near2 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; U	-	0			2003/11/14 13.05
Array near1 Management near1 Function DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PG		ļ	number) same (map\$4 or table))		
RAID and ((device near2 identifier) same (block near2 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-					
- 25 RAID same (free near2 (blocks or list or directory or pool)) - 25 RAID same (free near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<=20010111 - 2003/11/14 13: 2003/11/14 13: 2003/11/14 13: 2003/11/14 13: 2003/11/14 13: 2003/11/15 10: 2003/11/15 10: 2003/11/15 10: 2003/11/15 10:					
number))			DAID 1// Liver and identifications of the demand		2002/14/14 12:12
- 25 RAID same (free near2 (blocks or list or directory or pool)) RAID same (free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	-	3			2003/11/14 13:13
- 25 RAID same (free near2 (blocks or list or directory or pool)) RAID same (free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; D			number))		
- 25 RAID same (free near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) PARWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; 2003/11/15 10:8					
- 25 RAID same (free near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 16 (Array near1 Management near1 Function) and (Array near1 Management near1 Function) and (Array near1 Management near1 Function) and (Brain Day 2003/11/15 10:4003/	1				
- 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<=20010111 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; DERWENT; US-PGPUB; EPO; DERWENT; US-PG			242		0000/44/44 40:44
- 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<=20010111 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	25	RAID same (free near2 (blocks or list or directory or pool))		2003/11/14 13:14
- 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<=20010111 - 107 RAID same ((free or unused or available) near2 (blocks or list USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; U					
- 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 11 (Array near1 Management near1 Function) and @ad<=20010111 - 10					
- 107 RAID same ((free or unused or available) near2 (blocks or list or directory or pool)) - 15 Array near1 Management near1 Function - 16 (Array near1 Management near1 Function) - 17 (Array near1 Management near1 Function) and @ad<=20010111 - 18 (Array near1 Management near1 Function) and @ad<=20010111					
or directory or pool)) Or directory or pool)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-					0000444444
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAD; Wad<=20010111	-	107			2003/11/14 13:16
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 2003/11/15 10:4			or directory or pool))		
Array near1 Management near1 Function		-			
- 15 Array near1 Management near1 Function USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 11 (Array near1 Management near1 Function) and USPAT; US-PGPUB; 2003/11/15 10:4	ļ				
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 11 (Array near1 Management near1 Function) and USPAT; 2003/11/15 10:8 @ad<=20010111 US-PGPUB;		1			
EPO; JPO; DERWENT; IBM_TDB - 11 (Array near1 Management near1 Function) and USPAT; US-PGPUB; 2003/11/15 10:8	-	15	Array near1 Management near1 Function		2003/11/15 10:49
DERWENT; IBM_TDB USPAT; 2003/11/15 10:5		1			
-	1	1			
-		1			
@ad<=20010111 US-PGPUB;	1	1			
	-	11			2003/11/15 10:51
EPO: JPO:		1	@ad<=20010111		
		1		EPO; JPO;	
DERWENT;		1			
IBM_TDB		1		IBM_TDB	

-	4321	(virtual near3 address\$3) same (physical near3 address\$3)	USPAT; US-PGPUB;	2003/12/14 20:16
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54636	((memory or storage or address\$3) with allocat\$5 or	USPAT;	2003/12/14 20:25
		reallocat\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4007		IBM_TDB	000040440047
-	1837	((virtual near3 address\$3) same (physical near3 address\$3))	USPAT;	2003/12/14 20:17
		and (((memory or storage or address\$3) with allocat\$5 or reallocat\$5))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1459	(((virtual near3 address\$3) same (physical near3 address\$3))	USPAT;	2003/12/14 20:43
	1 100	and (((memory or storage or address\$3) with allocat\$5 or	US-PGPUB	2000, 12, 1 1 20, 10
		reallocat\$5))) and @ad<=20010111	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	1083	711/114.ccls.	USPAT;	2003/12/14 20:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15604	((memory or storage or address\$3) with allocat\$5 or	USPAT;	2003/12/14 20:26
		reallocat\$5).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	278	((virtual near3 address\$3) same (physical near3 address\$3))	USPAT;	2003/12/14 20:29
-	2,0	and (((memory or storage or address\$3) with allocat\$5 or	US-PGPUB	2000/12/11/20:20
		reallocat\$5).ab.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	418	711/200.ccls.	USPAT;	2003/12/14 20:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4000	744/470	IBM_TDB	00004044.00.40
-	1063	711/170.ccls.	USPAT; US-PGPUB;	2003/12/14 20:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6529995.pn.	USPAT;	2003/12/14 21:05
		· ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	["5086428" "5121495" "5403639" "5404361" "5475834"	USPAT	2003/12/14 20:55
		"5481694" "5544347" "5673382" "5742792" "5778395"		
		"5794253" "5812748" "5832222" "5835953" "5893120"		
		"5978791" "6088720" "6351467" "6353878" "6363462").PN.		
_	l	6529995.URPN.	USPAT	2003/12/14 21:03
-	1	6529995.pn. and (read\$3 or writ\$3)	USPAT:	2003/12/14 21:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	,
			IBM_TDB	

	1068	((virtual near2 (disk or disc)) or (log near1 structur\$3 near1	USPAT;	2003/12/14 21:51
-	1006	array)) and writ\$3	US-PGPUB:	2003/12/14 21.31
		array)) and with 5	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	144	writ\$3 same (memory near2 (assign\$3 or allocat\$5)) same	USPAT;	2003/12/14 22:13
		(virtual near3 address\$3)	US-PGPUB;	
		, ,	EPO; JPO;	-
			DERWENT;	
			IBM_TDB	1
-	631	writ\$3 same ((assign\$3 or allocat\$5)) with ((virtual or logical)	USPAT;	2003/12/15 06:45
		near3 address\$3) same (allocat\$5 or assign\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0000040 LIDENI	IBM_TDB	00004044 00:00
-	4	6233648.URPN.	USPAT	2003/12/14 22:33
-	5	("5124987" "5530948" "5613088" "5822782" "6058455").PN.	USPAT	2003/12/14 22:34
	551	virtualization	USPAT;	2003/12/14 22:46
-	331	Wildelization	US-PGPUB:	2000/12/14 22:40
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	340	virtualization and (disk or disc)	USPAT;	2003/12/14 22:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000404405
-	308	(virtualization and (disk or disc)) and (address\$3)	USPAT;	2003/12/14 22:47
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	}		IBM TDB	
_	125	((virtualization and (disk or disc)) and (address\$3)) and RAID	USPAT;	2003/12/14 22:49
-	,25	[[[] [] [] [] [] [] [] [] []	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	